ELSEVIER

Information Sciences 139 (2001) 287–294

INFORMATION SCIENCES
AN INTERNATIONAL JOURNAL

www.elsevier.com/locate/ins

Author index to volumes 131–139

Adami., A.G. and Barone, D.A.C.
A speaker identification system using a model of artificial neural networks for an elevator application, 138:1
Agrawal, V.K.
See Kishore, J.K.
Albizuri, F.X.
See González, A.I.
Alhajj, R.
See Polat, F.
Al-Mulhem, M. and Ather, M.
MRG parser for visual languages, 131:19
Alonso, M.C.
See García, D.
Ather, M.
See Al-Mulhem, M.

Baker, T.
See Rajopadhye, M.
Bamber, D., Goodman, I.R. and Nguyen, H.T.
Extension of the concept of propositional deduction from classical logic to probability: an overview of probability-selection approaches, 131:195
Barone, D.A.C.
See Adami, A.G.
Beal, D.F.
See Wu, R.
Becerra, J.A.
See Santos, J.
Becker, H.
Computing with words and machine learning in medical diagnostics, 134:53
Bell, D.A.
See Guan, J.W.
Bellas, F.
See Santos, J.
Bentley, J. and McIlroy, D.
Data compression with long repeated strings, 135:1
Berghammer, R. and Hoffmann, T.
Relational depth-first-search with applications, 139:167
Bonarini, A. and Trianni, V.
Learning fuzzy classifier systems for multi-agent coordination, 136:215
Böttner, M.
Multigrade extension of relational grammar, 139:221
Bouchon-Meunier, B.
See Yager, R.R.
Buczak, A.L., Wang, H., Darabi, H. and Jafari, M.A.
Genetic algorithm convergence study for sensor network optimization, 133:267

Carpentieri, B.
See Rizzo, F.
Carpentieri, B.
Block matching displacement estimation: a sliding window approach, 135:71
Casals, M.R.
See Montenegro, M.
Casillas, J., Cordón, O., Del Jesus, M.J. and Herrera, F.
Genetic feature selection in a fuzzy rule-based classification system learning process for high-dimensional problems, 136:135
Catania, V., Ficili, G. and Panno, D.
An integrated framework for traffic control in ATM networks based on soft-computing techniques, 138:31
Chandra, B.
See Madria, S.K.
Chen, G.
See Lu, J.
Chen, J.K., Chin, Y.H. and Huang, Y.F.
Key factors for improving performance of concurrency control algorithms, 138:137

PII: S0020-0255(01)00197-9

Chen, K.-H.
A study of decision error in selective game tree search, 135:177
Chin, Y.H.
See Chen, J.K.
Chiu, D.K.Y.
See Wong, A.K.C.
Choi, B.D.
See Lee, Y.
Cochinwala, M., Kurien, V., Lalk, G. and Shasha, D.
Efficient data reconciliation, 137:1
Collins, G.D., Le, S. and Zhang, K.
A new algorithm for computing similarity between RNA structures, 139:59
Colubi, A., Santos Domínguez-Menchero, J., López-Díaz, M. and Ralescu, D.A.
On the formalization of fuzzy random variables, 133:3
Cordón, O.
See Casillas, J.
Cordón, O., Herrera, F., Hoffmann, F. and Magdalena, L.
Recent advances in genetic fuzzy systems, 136:1
Cordón, O., Herrera, F., Magdalena, L. and Villar, P.
A genetic learning process for the scaling factors, granularity and contexts of the fuzzy rule-based system data base, 136:85
Corrales, J.A.
See Sánchez, L.
Cosar, A.
See Polat, F.
Couso, I.
See Sánchez, L.
Crespo, J.L.
See Santos, J.
Critchlow, T., Musick, R. and Slezak, T.
Experiences applying meta-data to bioinformatics, 139:3

D'Anjou, A.
See González, A.I.
Darabi, H.
See Buczak, A.L.
De Agostino, S.
Parallelism and dictionary based data compression, 135:43
De Cooman, G.
See Walley, P.
De Jong, K.
See Sheta, A.F.
De, R.K. and Pal, S.K.
A connectionist model for selection of cases, 132:179
Del Jesus, M.J.
See Casillas, J.
Desharnais, J. and Möller, B.
Characterizing determinacy in Kleene algebras, 139:253
Desharnais, J., Frappier, M., Jaoua, A. and MacCaull, W.
Preface: Relational methods in computer science, 139:165
Detyniecki, M.
See Yager, R.R.
Do, H.Y.
See Hong, D.H.
Donkers, H.H.L.M., Uiterwijk, J.W.H.M. and van den Herik, H.J.
Probabilistic opponent-model search, 135:123
Duro, R.J.
See Santos, J.

Eister, C.V.
See Rajopadhye, M.
El-Sheikh, S.A.
A new approach to fuzzy bitopological spaces, 137:283

Factor, M. and Sheinwald, D.
Compression in the presence of shared data, 135:29
Fang, W., Roberts, F.S. and Ma, Z.
A measure of discrepancy of multiple sequences, 137:75
Favorov, O.V.
See Lao, R.
Ferragina, P. and Manzini, G.
An experimental study of a compressed index, 135:13
Ficili, G.
See Catania, V.
Fröhlich, H., Košir, A. and Zajc, B.
Optimization of FPGA configurations using parallel genetic algorithm, 133:195
Frappier, M.
See Desharnais, J.
Furuhashi, T.
See Suzuki, T.

Gómez-Skarmeta, A.F., Valdés, M., Jiménez, F. and Marín-Blázquez, J.G.
Approximative fuzzy rules approaches for classification with hybrid-GA techniques, 136:193
García, D., Lubiano, M.A. and Alonso, M.C.
Estimating the expected value of fuzzy random variables in the stratified random sampling from finite populations, 138:165
Gardner, R.M.
See Torkkola, K.
Gattiker, J.R.
Editorial: Bioinformatics, 139:1
Ghalia, M.B.
See Rajopadhye, M.
Ghosh, S.K.
See Jena, S.P.
Gil, M.A.
See Montenegro, M.
Gil, M.A.
Fuzzy random variables, 133:1
Gilbert, D.
See Schroeder, M.
Goldberg, D.E.
See Tsutsui, S.
Gomide, F.
See Regattieri Delgado, M.
González, A.I., Graña, M., Ruiz Cabello, J., D'Anjou, A. and Albizuri, F.X.
Experimental results of an evolution-based adaptation strategy for VQ image filtering, 133:249
González, A. and Pérez, R.
An experimental study about the search mechanism in the SLAVE learning algorithm: Hill-climbing methods versus genetic algorithms, 136:159
Goodman, I.R.
See Bamber, D.
Graña, M.
See González, A.I.
Graña, M.
Evolutionary algorithms, 133:101
Grauel, A.
See Renners, I.
Gu, B. and Hong, L.
Tracking 2-D rigid targets with invariant constraints, 138:79
Guan, J.W., Bell, D.A. and Guan, Z.
Matrix computation for information systems, 131:129
Guan, Z.
See Guan, J.W.
Gudjonsson, L.
See Olsson, B.

Han, S.M.
See Yeun, Y.S.
Herrera, F.
See Casillas, J.
Herrera, F.
See Cordón, O.
Herrera, F.
See Cordón, O.
Hillesland, K.
See Hung, D.L.
Hoffmann, F. and Nelles, O.
Genetic programming for model selection of TSK-fuzzy systems, 136:7
Hoffmann, F.
See Cordón, O.
Hoffmann, T.
See Berghammer, R.
Hong, D.H., Song, J.-K. and Do, H.Y.
Fuzzy least-squares linear regression analysis using shape preserving operations, 138:185
Hong, L.
See Gu, B.
Hsu, L.-H.
See Sheu, J.-J.
Huang, W.
See Wong, A.K.C.
Huang, Y.F.
See Chen, J.K.
Hung, D.L., Hillesland, K. and Wang, J.
Architecture and design of a hardware accelerator for efficient 3D object recognition using the LC method, 131:1

Inoue, H.
Exchangeability and convergence for random sets, 133:23
Ishibuchi, H., Nakashima, T. and Murata, T.
Three-objective genetics-based machine learning for linguistic rule extraction, 136:109

Jafari, M.A.
See Buczak, A.L.
Jamison, R.E.
See Pfaltz, J.L.

Jaoua, A.
See Desharnais, J.
Jena, S.P., Ghosh, S.K. and Tripathy, B.K.
On the theory of bags and lists, 132:241
Jiménez, F.
See Gómez-Skarmeta, A.F.
Junghanns, A.
See Schaeffer, J.

Kacprzyk, J. and Zadrozny, S.
Computing with words in intelligent database querying: standalone and Internet-based applications, 134:71
Kahl, W.
Parallel composition and decomposition of specifications, 139:197
Karnik, N.N. and Mendel, J.M.
Centroid of a type-2 fuzzy set, 132:195
Kaysser-Kranich, T.
See Torkkola, K.
Kerre, E.E.
See Xu, Y.
Kishore, J.K., Patnaik, L.M., Mani, V. and Agrawal, V.K.
Genetic programming based pattern classification with feature space partitioning, 131:65
Košir, A.
See Fröhlich, H.
Kodama, T.
See Suzuki, T.
Kortelainen, J.
Applying modifiers to knowledge acquisition, 134:39
Kowalski, A.J.
See Shih, F.Y.
Kozen, D. and Tiuryn, J.
On the completeness of propositional Hoare logic, 139:187
Krithivasan, K. and Sharda, K.
Fuzzy ω-automata, 138:257
Kumar, A.
An efficient algorithm for solving the partial sum query problem, 137:245
Kurien, V.
See Cochinwala, M.

López-Díaz, M.
See Colubi, A.
López-Díaz, M.
See Terán, P.

Lalk, G.
See Cochinwala, M.
Lao, R., Favorov, O.V. and Lu, J.P.
Nonlinear dynamical properties of a somatosensory cortical model, 132:53
Laurio, K.
See Olsson, B.
Le, S.
See Collins, G.D.
Lee, H.P.
See Liang, Y.
Lee, J.-J.
See Park, C.-M.
Lee, K.H.
See Yeun, Y.S.
Lee, S.-H., Moon, Y.-S., Whang, K.-Y. and Song, I.-Y.
DyBASc: A buffer allocation scheme for reducing average initial latency in video-on-demand systems, 137:17
Lee, Y. and Choi, B.D.
Queueing system with multiple delay and loss priorities for ATM networks, 138:7
Li, H.
See Liu, P.
Li, L.
See Shang, Y.
Li, S., Ogura, Y. and Nguyen, H.T.
Gaussian processes and martingales for fuzzy valued random variables with continuous parameter, 133:7
Liang, Y., Zhou, C., Wang, Z., Lee, H.P. and Lim, S.P.
An equivalent genetic algorithm based on extended strings and its convergence analysis, 138:119
Lim, S.P.
See Liang, Y.
Lin, C.M. and Mon, Y.J.
A fuzzy-PDC-based control for robotic systems, 137:135
Lin, J.-C. and Yeh, P.-L.
Automatic test data generation for path testing using GAs, 131:47
Liu, J.
See Xu, Y.
Liu, P. and Li, H.
Analyses for $L_p(\mu)$-norm approximation capability of generalized Mamdani fuzzy systems, 138:195

Loslever, P.
Obtaining information from time data statistical analysis in human component system studies. I: Methods and performances, 132:133
Loslever, P.
Obtaining information from time data statistical analysis in human component system studies. II: Example with simulated data, 132:157
Lu, J., Chen, G. and Ying, H.
Predictive fuzzy PID control: theory, design and simulation, 137:157
Lu, J.P.
See Lao, R.
Lubiano, M.A.
See García, D.
Lubiano, M.A.
See Montenegro, M.

Möller, B.
See Desharnais, J.
Mäkinen, E., Poranen, T. and Vuorenmaa, P.
A genetic algorithm for determining the thickness of a graph, 138:155
Müller, M.
Global and local game tree search, 135:187
Ma, C.
See Torkkola, K.
Ma, Z.
See Fang, W.
MacCaull, W.
See Desharnais, J.
Madria, S.K., Maheshwari, S.N. and Chandra, B.
Virtual partition algorithm in a nested transaction environment and its correctness, 137:211
Magdalena, L.
See Cordón, O.
Magdalena, L.
See Cordón, O.
Maguire, L.P.
See Roche, B.
Maheshwari, S.N.
See Madria, S.K.
Mani, V.
See Kishore, J.K.
Manzini, G.
See Ferragina, P.
Marín-Blázquez, J.G.
See Gómez-Skarmeta, A.F.
Mc Daid, L.J.
See Roche, B.
Mc Ginnity, T.M.
See Roche, B.
McIlroy, D.
See Bentley, J.
Mendel, J.M.
See Karnik, N.N.
Mohan, C.K.
See Ozdemir, H.T.
Mon, Y.J.
See Lin, C.M.
Montenegro, M., Casals, M.R., Lubiano, M.A. and Gil, M.A.
Two-sample hypothesis tests of means of a fuzzy random variable, 133:89
Moon, Y.-S.
See Lee, S.-H.
Murata, T.
See Ishibuchi, H.
Musick, R.
See Critchlow, T.

Näther, W.
Random fuzzy variables of second order and applications to statistical inference, 133:69
Nakashima, T.
See Ishibuchi, H.
Nelles, O.
See Hoffmann, F.
Nguyen, H.T.
See Bamber, D.
Nguyen, H.T.
See Li, S.
Nikolopoulos, S.D.
Optimal Gray-code labeling and recognition algorithms for hypercubes, 137:189
Niskanen, V.A.
Prospects for integrating analysis of variance with soft computing, 134:135
Niskanen, V.A.
Prospects for soft statistical computing: describing data and inferring from data with words in the Human Sciences, 132:83
Noy, P.
See Schroeder, M.

Obaidat, M.S., Suhail, M.A. and Sadoun, B.
An intelligent simulation methodology to characterize defects in materials, 137:33

Ogura, Y.
See Li, S.
Oh, J.C.
Promoting cooperation using 'kin' biased conditional strategy in the iterated prisoner's dilemma game, 133:149
Olsson, B., Laurio, K. and Gudjonsson, L.
A hybrid method for protein sequence modeling with improved accuracy, 139:113
Olsson, B.
Co-evolutionary search in asymmetric spaces, 133:103
Osseiran, A.C.
Qualitative Bayesian networks, 131:87
Ozdemir, H.T. and Mohan, C.K.
Flight graph based genetic algorithm for crew scheduling in airlines, 133:165

Pérez, R.
See González, A.
Pal, S.K.
See De, R.K.
Panno, D.
See Catania, V.
Park, C.-M., Whang, K.-Y., Lee, J.-J. and Song, I.-Y.
A cost-based buffer replacement algorithm for object-oriented database systems, 138:99
Patnaik, L.M.
See Kishore, J.K.
Pfaltz, J.L. and Jamison, R.E.
Closure systems and their structure, 139:275
Plaat, A.
See Schaeffer, J.
Polat, F., Cosar, A. and Alhajj, R.
Semantic information-based alternative plan generation for multiple query optimization, 137:103
Poranen, T.
See Mäkinen, E.

Rajopadhye, M., Ghalia, M.B., Wang, P.P., Baker, T. and Eister, C.V.
Forecasting uncertain hotel room demand, 132:1
Ralescu, D.A.
See Colubi, A.
Regattieri Delgado, M., Von Zuben, F. and Gomide, F.
Hierarchical genetic fuzzy systems, 136:29
Reif, J.H. and Storer, J.A.
Optimal encoding of non-stationary sources, 135:87
Renners, I. and Grauel, A.
Optimizing lattice-based associative memory networks by evolutionary algorithms, 136:69
Rescigno, A.A.
Vertex-disjoint spanning trees of the star network with applications to fault-tolerance and security, 137:259
Resconi, G. and Türkşen, I.B.
Canonical forms of fuzzy truthoods by meta-theory based upon modal logic, 131:157
Reznik, Y.A. and Szpankowski, W.
On the average redundancy rate of the Lempel–Ziv code with the k-error protocol, 135:57
Rizzo, F., Storer, J.A. and Carpentieri, B.
LZ-based image compression, 135:107
Roberts, F.S.
See Fang, W.
Roche, B., Mc Ginnity, T.M., Maguire, L.P. and Mc Daid, L.J.
Signalling techniques and their effect on neural network implementation sizes, 132:67
Rosenfeld, A.
See Saha, P.K.
Ruan, D.
See Xu, Y.
Ruiz Cabello, J.
See González, A.I.

Sánchez, L., Couso, I. and Corrales, J.A.
Combining GP operators with SA search to evolve fuzzy rule based classifiers, 136:175
Sadoun, B.
See Obaidat, M.S.
Sadoun, B.
An efficient simulation scheme for testing materials in a nondestructive manner, 137:43
Saha, P.K. and Rosenfeld, A.
Local and global topology preservation in locally finite sets of tiles, 137:303
Santos Dominguez-Menchero, J.
See Colubi, A.
Santos, J., Duro, R.J., Becerra, J.A., Crespo, J.L. and Bellas, F.

Considerations in the application of evolution to the generation of robot controllers, 133:127
Savas, E.
On statistically convergent sequences of fuzzy numbers, 137:277
Schaeffer, J., Plaat, A. and Junghanns, A.
Unifying single-agent and two-player search, 135:151
Schroeder, M., Gilbert, D., van Helden, J. and Noy, P.
Approaches to visualisation in bioinformatics: from dendrograms to Space Explorer, 139:19
Sha, D.D. and Sutton, J.P.
Towards automated enhancement, segmentation and classification of digital brain images using networks of networks, 138:45
Shang, Y., Li, L. and Wah, B.
Optimization design of biorthogonal filter banks for image compression, 132:23
Sharda, K.
See Krithivasan, K.
Shasha, D.
See Cochinwala, M.
Sheinwald, D.
See Factor, M.
Sheta, A.F. and De Jong, K.
Time-series forecasting using GA-tuned radial basis functions, 133:221
Sheu, J.-J., Tan, J.J.M. and Hsu, L.-H.
Routing properties of supercubes, 131:107
Shih, F.Y. and Kowalski, A.J.
Computing unique three-dimensional object aspects representation, 132:13
Shih, T.K.
Mobile agent evolution computing, 137:53
Slezak, T.
See Critchlow, T.
Song, I.-Y.
See Lee, S.-H.
Song, I.-Y.
See Park, C.-M.
Song, J.-K.
See Hong, D.H.
Storer, J.A.
See Reif, J.H.
Storer, J.A.
See Rizzo, F.
Suhail, M.A.
See Obaidat, M.S.
Sutton, J.P.
See Sha, D.D.
Suzuki, T., Kodama, T., Furuhashi, T. and Tsutsui, H.
Fuzzy modeling using genetic algorithms with fuzzy entropy as conciseness measure, 136:53
Szpankowski, W.
See Reznik, Y.A.

Türkşen, I.B.
See Resconi, G.
Tan, J.J.M.
See Sheu, J.-J.
Terán, P. and López-Díaz, M.
On Bernstein approximants and the φ-variation of a fuzzy random variable, 133:39
Tiuryn, J.
See Kozen, D.
Torkkola, K., Gardner, R.M., Kaysser-Kranich, T. and Ma, C.
Self-organizing maps in mining gene expression data, 139:79
Trianni, V.
See Bonarini, A.
Tripathy, B.K.
See Jena, S.P.
Tseng, C.
Control with Word: the modular approach, 134:111
Tsutsui, H.
See Suzuki, T.
Tsutsui, S. and Goldberg, D.E.
Search space boundary extension method in real-coded genetic algorithms, 133:229

Uiterwijk, J.W.H.M.
See Donkers, H.H.L.M.

Valdés, M.
See Gómez-Skarmeta, A.F.
van den Herik, H.J.
See Donkers, H.H.L.M.
van Helden, J.
See Schroeder, M.
Villar, P.
See Cordón, O.

Von Zuben, F.
See Regattieri Delgado, M.
Vuorenmaa, P.
See Mäkinen, E.

Wah, B.
See Shang, Y.
Walley, P. and de Cooman, G.
A behavioral model for linguistic uncertainty, 134:1
Wang, G. and Wang, H.
Non-fuzzy versions of fuzzy reasoning in classical logics, 138:211
Wang, H.
See Buczak, A.L.
Wang, H.
See Wang, G.
Wang, J.
See Hung, D.L.
Wang, J.T.L.
See Gattiker, J.R.
Wang, J.T.L.
See Yin, M.M.
Wang, P.P.
See Gattiker, J.R.
Wang, P.P.
See Rajopadhye, M.
Wang, Z.
See Liang, Y.
Whang, K.-Y.
See Lee, S.-H.
Whang, K.-Y.
See Park, C.-M.
Winter, M.
A new algebraic approach to L-fuzzy relations convenient to study crispness, 139:233
Wong, A.K.C., Chiu, D.K.Y. and Huang, W.
A discrete-valued clustering algorithm with applications to biomolecular data, 139:97
Wu, R. and Beal, D.F.
Solving Chinese chess endgames by database construction, 135:207

Xu, Y., Ruan, D., Kerre, E.E. and Liu, J.
α-Resolution principle based on first-order lattice-valued logic $LF(X)$, 132:221

Yager, R.R., Detyniecki, M. and Bouchon-Meunier, B.
A context-dependent method for ordering fuzzy numbers using probabilities, 138:237
Yang, T.
Computational verb systems: computing with perceptions of dynamics, 134:167
Yang, Y.S.
See Yeun, Y.S.
Yeh, P.-L.
See Lin, J.-C.
Yeun, Y.S., Lee, K.H., Han, S.M. and Yang, Y.S.
Smooth fitting with a method for determining the regularization parameter under the genetic programming algorithm, 133:175
Yin, M.M. and Wang, J.T.L.
Effective hidden Markov models for detecting splicing junction sites in DNA sequences, 139:139
Ying, H.
See Lu, J.

Zadrozny, S.
See Kacprzyk, J.
Zajc, B.
See Fröhlich, H.
Zhang, K.
See Collins, G.D.
Zhou, C.
See Liang, Y.

ELSEVIER

Information Sciences 131 (2001) 295–298

INFORMATION SCIENCES
AN INTERNATIONAL JOURNAL

www.elsevier.com/locate/ins

Title index to volumes 131–139

α-Resolution principle based on first-order lattice-valued logic $LF(X)$
(Xu), 132:221

A behavioral model for linguistic uncertainty
(Walley), 134:1

A connectionist model for selection of cases
(De), 132:179

A context-dependent method for ordering fuzzy numbers using probabilities
(Yager), 138:237

A cost-based buffer replacement algorithm for object-oriented database systems
(Park), 138:99

A discrete-valued clustering algorithm with applications to biomolecular data
(Wong), 139:97

A fuzzy-PDC-based control for robotic systems
(Lin), 137:135

A genetic algorithm for determining the thickness of a graph
(Mäkinen), 138:155

A genetic learning process for the scaling factors, granularity and contexts of the fuzzy rule-based system data base
(Cordón), 136:85

A hybrid method for protein sequence modeling with improved accuracy
(Olsson), 139:113

A measure of discrepancy of multiple sequences
(Fang), 137:75

A new algebraic approach to L-fuzzy relations convenient to study crispness
(Winter), 139:233

A new algorithm for computing similarity between RNA structures
(Collins), 139:59

A new approach to fuzzy bitopological spaces
(El-Sheikh), 137:283

A speaker identification system using a model of artificial neural networks for an elevator application
(Adami), 138:1

A study of decision error in selective game tree search
(Chen), 135:177

An efficient algorithm for solving the partial sum query problem
(Kumar), 137:245

An efficient simulation scheme for testing materials in a nondestructive manner
(Sadoun), 137:43

An equivalent genetic algorithm based on extended strings and its convergence analysis
(Liang), 138:119

An experimental study about the search mechanism in the SLAVE learning algorithm: Hill-climbing methods versus genetic algorithms
(González), 136:159

An experimental study of a compressed index
(Ferragina), 135:13

An integrated framework for traffic control in ATM networks based on soft-computing techniques
(Catania), 138:31

An intelligent simulation methodology to characterize defects in materials
(Obaidat), 137:33

Analyses for $L_p(\mu)$-norm approximation capability of generalized Mamdani fuzzy systems
(Liu) 138:195

Applying modifiers to knowledge acquisition
(Kortelainen), 134:39

Approaches to visualisation in bioinformatics: from dendrograms to Space Explorer
(Schroeder), 139:19

PII: S0020-0255(01)00198-0

Approximative fuzzy rules approaches for classification with hybrid-GA techniques
(Gómez-Skarmeta), 136:193
Architecture and design of a hardware accelerator for efficient 3D object recognition using the LC method
(Hung), 131:1
Automatic test data generation for path testing using GAs
(Lin), 131:47

Block matching displacement estimation: a sliding window approach
(Carpentieri), 135:71

Canonical forms of fuzzy truthoods by meta-theory based upon modal logic
(Resconi), 131:157
Centroid of a type-2 fuzzy set
(Karnik), 132:195
Characterizing determinacy in Kleene algebras
(Desharnais), 139:253
Closure systems and their structure
(Pfaltz), 139:275
Co-evolutionary search in asymmetric spaces
(Olsson), 133:103
Combining GP operators with SA search to evolve fuzzy rule based classifiers
(Sánchez), 136:175
Compression in the presence of shared data
(Factor), 135:29
Computational verb systems: computing with perceptions of dynamics
(Yang), 134:167
Computing unique three-dimensional object aspects representation
(Shih), 132:13
Computing with words and machine learning in medical diagnostics
(Becker), 134:53
Computing with words in intelligent database querying: standalone and Internet-based applications
(Kacprzyk), 134:71
Considerations in the application of evolution to the generation of robot controllers
(Santos), 133:127
Control with Word: the modular approach
(Tseng), 134:111

Data compression with long repeated strings
(Bentley), 135:1
DyBASe: A buffer allocation scheme for reducing average initial latency in video-on-demand systems
(Lee), 137:17

Editorial: Bioinformatics
(Gattiker), 139:1
Effective hidden Markov models for detecting splicing junction sites in DNA sequences
(Yin), 139:139
Efficient data reconciliation
(Cochinwala), 137:1
Estimating the expected value of fuzzy random variables in the stratified random sampling from finite populations
(García), 138:165
Evolutionary algorithms
(Grana), 133:101
Exchangeability and convergence for random sets
(Inoue), 133:23
Experiences applying meta-data to bioinformatics
(Critchlow), 139:3
Experimental results of an evolution-based adaptation strategy for VQ image filtering
(González), 133:249
Extension of the concept of propositional deduction from classical logic to probability: an overview of probability-selection approaches
(Bamber), 131:195

Flight graph based genetic algorithm for crew scheduling in airlines
(Timucin Ozdemir), 133:165
Forecasting uncertain hotel room demand
(Rajopadhye), 132:1
Fuzzy ω-automata
(Krithivasan), 138:257
Fuzzy least-squares linear regression analysis using shape preserving operations
(Hong), 138:185
Fuzzy modeling using genetic algorithms with fuzzy entropy as conciseness measure
(Suzuki), 136:53
Fuzzy random variables
(Gil), 133:1

Gaussian processes and martingales for fuzzy valued random variables with continuous parameter
(Li), 133:7

Genetic algorithm convergence study for sensor network optimization
(Buczak), 133:267
Genetic feature selection in a fuzzy rule-based classification system learning process for high-dimensional problems
(Casillas), 136:135
Genetic programming based pattern classification with feature space partitioning
(Kishore), 131:65
Genetic programming for model selection of TSK-fuzzy systems
(Hoffmann), 136:7
Global and local game tree search
(Müller), 135:187
Guest editorial: Recent advances in genetic fuzzy systems
(Cordón), 136:1

Hierarchical genetic fuzzy systems
(Regattieri Delgado), 136:29

Key factors for improving performance of concurrency control algorithms
(Chen), 138:137

Learning fuzzy classifier systems for multi-agent coordination
(Bonarini), 136:215
Local and global topology preservation in locally finite sets of tiles
(Saha), 137:303
LZ-based image compression
(Rizzo), 135:107

Matrix computation for information systems
(Guan), 131:129
Mobile agent evolution computing
(Shih), 137:53
MRG parser for visual languages
(Al-Mulhem), 131:19
Multigrade extension of relational grammar
(Böttner), 139:221

Non-fuzzy versions of fuzzy reasoning in classical logics
(Wang), 138:211
Nonlinear dynamical properties of a somatosensory cortical model
(Lao), 132:53

Obtaining information from time data statistical analysis in human component system studies. I: Methods and performances
(Loslever), 132:133
Obtaining information from time data statistical analysis in human component system studies. II: Example with simulated data
(Loslever), 132:157
On Bernstein approximants and the -variation of a fuzzy random variable
(Terán), 133:39
On statistically convergent sequences of fuzzy numbers
(Savas), 137:277
On the average redundancy rate of the Lempel–Ziv code with the k-error protocol
(Reznik), 135:57
On the completeness of propositional Hoare logic
(Kozen), 139:187
On the formalization of fuzzy random variables
(Colubi), 133:3
On the theory of bags and lists
(Jena), 132:241
Optimal encoding of non-stationary sources
(Reif), 135:87
Optimal Gray-code labeling and recognition algorithms for hypercubes
(Nikolopoulos), 137:189
Optimization design of biorthogonal filter banks for image compression
(Shang), 132:23
Optimization of FPGA configurations using parallel genetic algorithm
(Fröhlich), 133:195
Optimizing lattice-based associative memory networks by evolutionary algorithms
(Renners), 136:69

Parallel composition and decomposition of specifications
(Kahl), 139:197
Parallelism and dictionary based data compression
(De Agostino), 135:43
Predictive fuzzy PID control: theory, design and simulation
(Lu), 137:157
Preface: Relational methods in computer science
(Desharnais), 139:165

Probabilistic opponent-model search
(Donkers), 135:123
Promoting cooperation using 'kin' biased conditional strategy in the iterated prisoner's dilemma game
(Oh), 133:149
Prospects for integrating analysis of variance with soft computing
(Niskanen), 134:135
Prospects for soft statistical computing: describing data and inferring from data with words in the Human Sciences
(Niskanen), 132:83

Qualitative Bayesian networks
(Osseiran), 131:87
Queueing system with multiple delay and loss priorities for ATM networks
(Lee), 138:7

Random fuzzy variables of second order and applications to statistical inference
(Näther), 133:69
Relational depth-first-search with applications
(Berghammer), 139:167
Routing properties of supercubes
(Sheu), 131:107

Search space boundary extension method in real-coded genetic algorithms
(Tsutsui), 133:229
Self-organizing maps in mining gene expression data
(Torkkola), 139:79
Semantic information-based alternative plan generation for multiple query optimization
(Polat), 137:103
Signalling techniques and their effect on neural network implementation sizes
(Roche), 132:67
Smooth fitting with a method for determining the regularization parameter under the genetic programming algorithm
(Yeun), 133:175
Solving Chinese chess endgames by database construction
(Wu), 135:207

Three-objective genetics-based machine learning for linguistic rule extraction
(Ishibuchi), 136:109
Time-series forecasting using GA-tuned radial basis functions
(Sheta), 133:221
Towards automated enhancement, segmentation and classification of digital brain images using networks of networks
(Sha), 138:45
Tracking 2-D rigid targets with invariant constraints
(Gu), 138:79
Two-sample hypothesis tests of means of a fuzzy random variable
(Montenegro), 133:89

Unifying single-agent and two-player search
(Schaeffer), 135:151

Vertex-disjoint spanning trees of the star network with applications to fault-tolerance and security
(Rescigno), 137:259
Virtual partition algorithm in a nested transaction environment and its correctness
(Madria), 137:211